				12:17:21
S41799	U	PGPB	200540001527	2006-06-28 12:17:02
S41798	U	PGPB	20040001527	2006-06-28 12:05:26
S41797	U	PGPB	20040001527	2006-06-28 12:04:40
S41796	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((IC or integrated circuit or IC or die) and (threshold register)) and (threshold temperature)	2006-06-28 10:13:20
S41795	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((IC or integrated circuit or IC or die)) and (threshold temperature register)	2006-06-28 10:12:03
S41794	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((IC or integrated circuit or IC or die)) and (threshold register)	2006-06-28 10:11:29
S41793	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((IC or integrated circuit or IC or die)) and (threshold temperature or threshold register)	2006-06-28 10:11:02
S41792	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(IC or integrated circuit or IC or die)	2006-06-28 10:10:33
S41791	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(serializer or deserializer and (internal bus) and (integrated circuit or chip or IC)) and (threshold temperature)	2006-06-28 10:09:59
S41790	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(serializer or deserializer and (internal bus))	2006-06-28 10:09:42

			and (integrated circuit or chip or IC)	
S41789	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(serializer or deserializer) and (internal bus)	2006-06-28 10:09:20

Find [   ]

Latest   Prev   Next   Oldest

Edit   Help   Return

Searches for User *gverbitsky* (Count = 42188)

Queries 41739 through 41788.

Find [_____]

| Latest | Prev | Next | Oldest |

| Edit | Help | Return |

S #	Updt	Database	Query	Time	Comment
S41788	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	serializer or deserializer	2006-06-28 10:08:56	.
S41787	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	shifting from memory to threshold	2006-06-28 10:08:12	
S41786	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(shift$3 adj5 register and (temperature register)) and (threshold register)	2006-06-28 09:11:15	
S41785	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(shift$3 adj5 register) and (temperature register)	2006-06-28 09:10:57	
S41784	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	shift$3 adj5 register	2006-06-28 09:10:41	
S41783	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	shifting measured adj5 threshold	2006-06-28 09:10:08	
S41782	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(shift$3 from adj5 threshold register)	2006-06-28 09:09:31	
S41781	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(shift$3 adj5 threshold register or shift$3 adj5 threshold counter)	2006-06-28 09:05:32	.
S41780	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(702/130 and (register$1 or counter$1) and (threshold) and (reference)) and	2006-06-28 09:04:51	.

			(shift$3 adj5 reference)	
S41779	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(702/130 and (register$1 or counter$1) and (threshold) and (reference)) and (shift$3 adj5 threshold)	2006-06-28 09:03:56
S41778	U	PGPB	(20040136436 and (reference register) and (threshold register)) and (transfer$3)	2006-06-28 08:39:50
S41777	U	PGPB	(20040136436 and (reference register) and (threshold register)) and (set parameter)	2006-06-28 08:39:31
S41776	U	PGPB	(20040136436 and (reference register) and (threshold register)) and (instruction data)	2006-06-28 08:39:12
S41775	U	PGPB	(20040136436 and (reference register)) and (threshold register)	2006-06-28 08:38:59
S41774	U	PGPB	(20040136436 and (reference register)) and (threshold reference)	2006-06-28 08:38:43
S41773	U	PGPB	(20040136436) and (reference register)	2006-06-28 08:38:29
S41772	U	PGPB	20040136436	2006-06-28 08:38:17
S41771	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(702/130 and (register$1 or counter$1) and (threshold) and (reference)) and (memory)	2006-06-28 08:16:50

S41770	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(702/130 and (register$1 or counter$1) and (threshold)) and (reference)	2006-06-28 08:16:40
S41769	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(702/130 and (register$1 or counter$1)) and (threshold)	2006-06-28 08:16:31
S41768	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(702/130) and (register$1 or counter$1)	2006-06-28 08:15:56
S41767	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	702/130	2006-06-28 08:15:35
S41766	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((threshold adj5 counter) and (reference adj5 counter) and (temperature)) and (integrated circuit or chip or IC)	2006-06-28 08:00:09
S41765	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((threshold adj5 counter) and (reference adj5 counter)) and (temperature)	2006-06-28 07:59:48
S41764	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((threshold adj5 counter) and (reference adj5 counter)) and (temperature adg5 counter)	2006-06-28 07:59:33
S41763	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(threshold adj5 counter) and (reference adj5 counter)	2006-06-28 07:59:16
S41762	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((threshold adj5 register) and (reference adj5 register)) and (temperature adj5 register)	2006-06-28 07:55:34
S41761	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(threshold adj5 register) and (reference adj5 register)	2006-06-28 07:55:17
S41760	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(374/$.ccls.) and	2006-

			(reference register)	06-28 07:53:08
S41759	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	374/$.ccls.	2006-06-28 07:52:54
S41758	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(integrated circuit sensor) and (threshold adj5 register)	2006-06-28 07:49:55
S41757	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(integrated circuit sensor and (register)) and (threshold register)	2006-06-28 07:49:27
S41756	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(integrated circuit sensor) and (register)	2006-06-28 07:49:10
S41755	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	integrated circuit sensor	2006-06-28 07:48:57
S41754	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	on chip sensor or on chip thermometer	2006-06-28 07:48:28
S41753	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(VCO 300) and (temperature or thermal)	2006-06-27 14:52:57
S41752	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	VCO 300	2006-06-27 14:52:37
S41751	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(temperature sensi$4 ring oscillator) and (CMOS)	2006-06-27 14:45:54
S41750	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	temperature sensi$4 ring oscillator	2006-06-27 14:45:37
S41749	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((ring oscillator) and (CMOS inverter$1) and (constant current)) and (temperature or PN junction)	2006-06-27 14:10:50
S41748	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((ring oscillator) and (CMOS inverter$1)) and (constant current)	2006-06-27 14:10:31

S41747	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(ring oscillator) and (CMOS inverter$1)	2006-06-27 14:10:07
S41746	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(ring oscillator) and (CMOS inveters)	2006-06-27 14:09:35
S41745	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(TSRO) and (CMOS inverter$1)	2006-06-27 14:09:02
S41744	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	6445238[uref]	2006-06-27 14:05:00
S41743	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(327/512) and (CMOS inverter)	2006-06-27 14:00:19
S41742	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	327/512	2006-06-27 14:00:05
S41741	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((constant current) and (CMOS inverter$1) and (clamp$4 or switch$4 or shunt$4)) and (junction temperature)	2006-06-27 13:50:46
S41740	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((constant current) and (CMOS inverter$1) and (clamp$4 or switch$4 or shunt$4)) and (PN junction temperature)	2006-06-27 13:50:27
S41739	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((constant current) and (CMOS inverter$1)) and (clamp$4 or switch$4 or shunt$4)	2006-06-27 13:49:52

Find [   ]

Latest   Prev   Next   Oldest

Edit   Help   Return

Searches for User *gverbitsky* (Count = 42188)

Queries 41689 through 41738.

Find [   ]

Latest   Prev   Next   Oldest

Edit   Help   Return

S #	Updt	Database	Query	Time	Comment
S41738	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(constant current) and (CMOS inverter$1)	2006-06-27 13:49:14	
S41737	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(374/178) and (CMOS inverter)	2006-06-27 13:43:13	
S41736	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(374/178) and (CMOS invereter)	2006-06-27 13:42:54	
S41735	U	USPT	6567763.pn.	2006-06-27 13:17:40	
S41734	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(374/178 and (switch$4)) and (constant current)	2006-06-27 12:01:18	
S41733	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(374/178) and (switch$4)	2006-06-27 12:00:53	
S41732	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	374/178	2006-06-27 12:00:17	
S41731	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(shunt$4 constant current)	2006-06-27 11:46:10	
S41730	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	shunt$4 constant current	2006-06-27 11:46:00	
S41729	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(switch$3 current) same (sensi$4 junction)	2006-06-27 11:45:25	
S41728	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(switch$3	2006-06-	

			current) same (sensing junction)	27 11:44:44
S41727	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((clamp$3) same (constant current)) and (sensing junction)	2006-06-27 11:43:24
S41726	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((clamp$3) adj5 (constant current)) and (sensing junction)	2006-06-27 11:43:03
S41725	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((clamp$3) adj5 (constant current)) and (PN junction)	2006-06-27 11:39:03
S41724	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((clamp$3) adj5 (constant current)) and (measuring adj 5 junction)	2006-06-27 11:38:39
S41723	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((clamp$3) adj5 (constant current)) and (PN or transistor or diode)	2006-06-27 11:32:34
S41722	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(clamp$3) adj5 (constant current)	2006-06-27 11:24:12
S41721	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(clamp$3) same (constant current)	2006-06-27 11:23:41
S41720	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	shunting constant current	2006-06-27 11:14:37
S41719	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	374/$.ccls.	2006-06-27 10:19:16
S41718	U	USPT	4601589.pn.	2006-06-27 10:14:01
S41717	U	USPT	6570508.pn.	2006-06-27 10:07:29
S41716	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	solid carbon dioxide temperature monitor	2006-06-27 09:42:03

				probe or detector)	
S41654	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(374/$.ccls.) and (-40 or -80)	2006-06-26 14:31:28	
S41653	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(374/$.ccls. and (cryogenic)) and (-40 or -80)	2006-06-26 14:30:15	
S41652	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(374/$.ccls. and (cryogenic)) and (minus fourty or minus eighty)	2006-06-26 14:29:36	
S41651	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(374/$.ccls. and (cryogenic)) and (80 adj1 C or 40 adj1 C)	2006-06-26 14:27:02	
S41650	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(374/$.ccls.) and (cryogenic)	2006-06-26 14:26:23	
S41649	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	374/$.ccls.	2006-06-26 14:26:09	
S41648	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	shunt$3 constant current	2006-06-26 14:13:23	
S41647	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(clamp$4 current and (PN or diode or transitor or FET) and (ADC or converter or comparator)) and (CMOS)	2006-06-26 14:07:46	
S41646	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(clamp$4 current and (PN or diode or transitor or FET)) and (ADC or converter or comparator)	2006-06-26 14:07:29	
S41645	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(clamp$4 current) and (PN or diode or transitor or FET)	2006-06-26 14:06:55	
S41644	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(clamp$4 current) and (327/513)	2006-06-26 14:05:12	
S41643	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	clamp$4 current	2006-06-26 14:04:58	

S41642	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(327/513 and (constant current)) and (switch$3 or clamp$3)	2006-06-26 13:14:35
S41641	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(327/513 and (constant current)) and (switch$3 orclamp$3)	2006-06-26 13:14:18
S41640	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(327/513) and (constant current)	2006-06-26 13:14:02
S41639	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	327/513	2006-06-26 13:13:49

Find [   ]

Latest   Prev   Next   Oldest

Edit   Help   Return

Searches for User *gverbitsky* (Count = 42188)

Queries 41589 through 41638.

Find [   ]

Latest   Prev   Next   Oldest

Edit   Help   Return

S #	Updt	Database	
S41638	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	shut$3 constant current
S41637	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	block$3 constant current
S41636	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	clamp$3 constant current
S41635	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	clamp$4 constant current adj5 PN
S41634	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	clamp$3 constant current adj5 transistor
S41633	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	switch$4 constant current adj5 transistor
S41632	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	switch$4 current adj5 transistor
S41631	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(327/$.ccls.) and (clamp$3 adj5 constan
S41630	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(327/$.ccls.) and (clamp$3 constant curi
S41629	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	327/$.ccls.
S41628	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(374/$.ccls.) and (clamp$3 constant curi
S41627	U	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(374/$.ccls.) and (switch$4 constant cur

S41611 U PGPB   (2040233600) and (variable)

S41610 U PGPB   2040233600

S41609 U PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD (374/$.ccls. and (ground or earth)) and (

S41608 U PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD 374/$.ccls. and (ground or earth)

S41607 U PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD 374/$,ccls. and (ground or earth)

S41606 U PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD (second variable reference or plurality vɛ

S41605 U PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD second variable reference or plurality vaɪ

S41604 U PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD (374/$.ccls.) and (variable reference)

S41603 U PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD (374/$.ccls.) and (variable voltage)

S41602 U PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD 374/$.ccls.

S41601 U PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD (327/513) and (variable voltage)

S41600 U PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD (327/513) and (variable)

S41599 U PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD (327/513) and (variable reference)

S41598 U PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD (327/513) and (variable reference voltag

S41597 U PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD (327/513) and (reference voltage or refe

S41596 U PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD 327/513

S41595   U   PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD (374/$.ccls.) and (second reference volt:

S41594   U   PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD 374/$.ccls.

S41593   U   PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD therm$4 conductive collar

S41592   U   PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD lens adj5 conductive collar

S41591   U   PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD lens adj5 conductive frame

S41590   U   PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD (focus$4 lens adj5 conductive frame)

S41589   U   PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD (374/$.ccls.) and (thermally conductive .

Find

Latest   Prev   Next   Oldest

Edit   Help   Return

S41616   U   PGPB   (20040233600 and (second comparator)

S41615   U   PGPB   (20040233600 and (second comparator)

S41614   U   PGPB   (20040233600) and (second comparator

S41613   U   PGPB   (20040233600) and (variable)

S41612   U   PGPB   20040233600